

PRODUCT WARRANTY HOT JET USA UNITS

LIMITED NEW PRODUCT WARRANTY:

Power Line Industries warrants all Hot Jet USA Jetting Equipment to the original purchaser to be free from defects in materials and workmanship under normal use, for the periods specified below. This Limited Warranty is subject to the exclusions shown below, is calculated from the date of the original purchase, and applies to the original components only. Any parts replaced under this warranty will assume the remainder of the part's warranty for this warranty to be in effect.

TEN YEAR COMBINED PUMP WARRANTY (General Pumps Only):

Lifetime warranty on the brass discharge manifold and ten year warranty (first 5 years non-prorated and the remaining 5 years is prorated) on internal components on the oilend of all pressure washer pumps. Labor included if warranty is in the first year from date of purchase - \$150.00 maximum paid for labor to repair/replace.

SEVEN-YEAR HEATING COIL PRO-RATED WARRANTY:

First year 100% warranty, seven year total prorated warranty on heating coil. Labor included if warranty is in the first year from date of purchase - \$250.00 maximum paid for labor to repair/replace. Customer is responsible for the freight on this item.

THREE-YEAR MANUFACTURED PARTS WARRANTY:

Components manufactured by Power Line Industries, such as frames, handles, coil wraps, float tanks and belt guards. Labor not included.


ONE YEAR HOSE REEL WARRANTY (Reel ONLY). 90 day warranty on electrical components.

TRAILER WARRANTY (OPEN DECK TRAILERS ONLY)

Trailers are warrantied for ONE YEAR for the following: structural warranty, main frame, bottom rails & cross members, subfloor and decking. Tires & rims, trailer battery, paint, brake components, springs & suspension components have a NINETY DAY warranty. Trailer must be registered within 30 days of purchase or this warranty will not be in force.

NINETY-DAY PARTS WARRANTY:

All other components, excluding normal wear items as described below, will be warranted for 90 days on parts and labor. Parts warranty will be for 90 days regardless



WA	$\mathbf{R}\mathbf{R}$	AN	TV I	3 E.7	TEW
					* * * * * * * * * * * * * * * * * * *

Product		Warranty Period
Water Pumps	General Pump	10 years
	A.R. Pump	5 years
	Comet Pump	5 years
	Udor Pump	1 year
Water Pump Accessories	Unloaders	6 months
	Pressure / Flow Switches	6 months
	Thermal Relief Valves	6 months
	Trigger Guns	6 months
	Quick Couplers	6 months
	Down Stream Injectors	6 months
Electric Motors	A.O. Smith, Baldor, Marathon*	1 year
Oil Burner Components	Motor	1 year
1	Fuel Pump	3 year
	Wayne Ignitor / Transformer	2 year
	Custom Coils Ignitor	1 year
Gas Engines	Briggs & Stratton, Vanguard*	3 year
	Honda*	2 year
	Kohler Command Magnum*	2 year
	Tecumseh*	2 year
Diesel Engines	Kubota*	3 year limited
	Lombardini*	3 year / 2 stage
Heating Coils		7 years prorated

POWER LINE INDUSTRIES, INC. / HOT JET USA
14773 HERITAGE CREST WAY • RIVERTON, UTAH 84065 • 800-624-8186

^{*}These products need to be taken / sent to your local certified service center for evaluation. Please contact our Warranty Department at 800-624-8186 to find a listing for your area.

MANUFACTURER'S LIMITED TRAILER WARRANTY

(See full warranty details at www.Powerlineregistration.com)

OPEN DECK TRAILERS ONLY

(Enclosed trailers carry their own manufacturer's warranty)

Trailer must be registered within 30 days of purchase or this warranty will not be in force. Register your trailer/equipment purchase at **www.powerlineregistration.com** or fax the registration to 1-800-545-9132, or mail to the address below.

90 DAY WARRANTY ITEMS

(Wear Items)

- ☐ Tires and Rims
- ☐ Trailer Battery
- ☐ Paint
- ☐ Brake Components
- ☐ Springs and Suspension Components

1 YEAR WARRANTY ITEMS

- ☐ Structural Warranty
- ☐ Main Frame
- ☐ Bottom Rails and Cross Members
- ☐ Subfloor
- ☐ Decking

REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE PURCHASER. POWER LINE/HOTJET USA SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF ANY EXPRESS OR IMPLIED WARRANTY ON THIS PRODUCT AS OUTLINED.

POWER LINE'S OBLIGATION UNDER THIS WARRANTY IS LIMITED TO REPAIR OR REPLACEMENT OF PRODUCT IN QUESTION. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL POWER LINE BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES OR EXPENSES OF ANY KIND. THIS INCLUDES LOST INCOME, TRAVEL TIME AND EXPENSES, LODGING EXPENSES, LABOR EXPENSES, DOWN TIME, SHIPPING COSTS, LOSS OF USE, INCONVENIENCE AND ANY OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES OR EXPENSES.

This warranty only applies to the original purchaser.

POWER LINE INDUSTRIES, INC.

14773 HERITAGE CREST WAY • RIVERTON, UTAH 84065 • 800-624-8186





HOTJET USA DOES NOT EXECUTE WARRANTIES ON FORBEST CAMERA PRODUCTS AND IS OFFERING THE FOLLOWING WARRANTY INFORMATION AS A COURTESY TO ITS CUSTOMERS. ALL ISSUES WITH FORBEST CAMERAS MUST BE HANDLED DIRECTLY THROUGH FORBEST BY CALLING 1-877-369-1199.

1. SATISFACTION GUARANTEE TO ALL CUSTOMERS: 30-DAY MONEY BACK POLICY

Customers should contact Forbest if they are not satisfied with a product for any reason within 30 days of the invoice date. A 30-day Money Back is guaranteed (Shipping & Handling and other additional charges, such as the transaction fee 6% of the total amount charged by bank or Credit Card Company, are not refundable). However, Returned product must be in original packaging, unused, undamaged, and in saleable condition. Proof of purchase is required in all cases. The 30-Day Money Back Policy does not apply the custom product.

2. LIMITED WARRANTY

All products sold are warranted by Forbest only to customers for: (i) resale; or (ii) use in business, government or original equipment manufacture. Forbest warrants products against defects in materials and workmanship under normal use for a period of ONE (1) year the date of purchase from Forbest, unless otherwise stated. Should the customer have any problem about the Forbest product, the customer should contact the dealer or Forbest immediately. Forbest will not cover the defective items in warranty term after the product has been repaired by a third party even if it is within 1 year since the purchased date.

During the limited warranty period, Forbest may, at its option: (i) repair; (ii) replace; or (iii) refund the amount paid by customer. Customer must return the product to the





appropriate Forbest branch or authorized service location, as designated by Forbest and pay for the shipping cost. Forbest will cover the shipping cost for the return of the product to customers in 46 states of US and in Canada within the warranty term. For a RMA item from other offshore regions (Hawaii, Alaska, Puerto Rico, and the U.S. Virgin Islands) and countries outside of US and Canada, the customer has to pay all the shipping including the return shipping from Forbest and tax, if any, even for an item within the warranty term. In the event that there are import charges and brokerage charges in processing repair or replacement of warranted items, the incurred import charges and brokerage charges will be undertaken by the importer regardless of either party.

3. Warranty Return

Before retuning any product, customer shall: (i) write or call the local Forbest branch from which the product was purchased; (ii) fill in the Forbest RMA form and provide the date, the original invoice number, the stock number, and the description of the defect (iii) or report to the dealers and ask them to contact us. Proof of purchase is required in all cases.

For those returned items exceeding over 6 months, Forbest will send an emal or call the customer after 6 months to remind the customer and the customer should get back to Forbest within 5 business days. Otherwise, Forbest has the right to dispose of the returned items at its own will without undertaking any cost or responsibility.

Source: http://www.forbestusa.net/index.php?option=com_content&view=article&id=76&Itemid=194





HOTJET USA DOES NOT EXECUTE WARRANTIES ON WARTHOG PRODUCTS AND IS OFFERING THE FOLLOWING WARRANTY INFORMATION AS A COURTESY TO ITS CUSTOMERS. ALL ISSUES WITH WARTHOG NOZZLES MUST BE HANDLED DIRECTLY THROUGH STONEAGE TOOLS BY CALLING 1-866-795-1586.

Warranties set forth herein extend only to End-Users, meaning customers acquiring, or that have previously acquired, a product manufactured by StoneAge ("Product") for their own use and not for resale, either directly from StoneAge Inc. ("StoneAge") or from a StoneAge Authorized Dealer or Reseller ("Dealer"). No warranty of any kind or nature is made by StoneAge beyond those expressly stated herein.

LIMITED WARRANTY PERIOD

Subject to the limitations and conditions hereinafter set forth, StoneAge warrants its Product to be free from defects in workmanship and material for a period of one (1) year from the date of purchase by the End-User, provided that the end of the limited warranty period shall not be later than eighteen (18) months from the date of shipment of the Product to the Dealer or the End-User by StoneAge ("Limited Warranty Period"). All replacement parts which are furnished under this Limited Warranty and properly installed shall be warranted to the same extent as the original Product under this Limited Warranty if, and only if, the original parts were found to be defective within the original Limited Warranty Period covering the original Product. Replacement parts are warranted for the remainder of the original Limited Warranty Period. This Limited Warranty does not cover any component part of any Product not manufactured by StoneAge. Any such component part is subject exclusively to the component manufacturer's warranty terms and conditions.





LIMITED WARRANTY COVERAGE

StoneAge's sole obligation under this Limited Warranty shall be, at StoneAge's option and upon StoneAge's inspection, to repair, replace or issue a credit for any Product which is determined by StoneAge to be defective in material or workmanship. StoneAge reserves the right to examine the alleged defective Product to determine whether this Limited Warranty is applicable, and final determination of limited warranty coverage lies solely with StoneAge. No statement or recommendation made by a StoneAge representative, Dealer or agent to End-User shall constitute a warranty by StoneAge or a waiver or modification to any of the provisions hereof or create any liability for StoneAge.

WARRANTY SERVICE PROVIDERS

Service and repair of the Product is to be performed only by StoneAge authorized service representatives, including Dealers who are authorized repair centers, with StoneAge approved parts. Information about StoneAge authorized service representatives can be obtained through the StoneAge website at www.stoneagetools. com/service. Unauthorized service, repair or modification of the Product or use of parts not approved by StoneAge will void this Limited Warranty. StoneAge reserves the right to change or improve the material and design of the Product at any time without notice to End-User, and StoneAge is not obligated to make the same improvements during warranty service to any Product previously manufactured.

WARRANTY EXCLUSIONS

This Limited Warranty does not cover, and StoneAge shall not be responsible for the following, or damage caused by the following: (1) any Product that has been altered or modified in any way not approved by StoneAge in advance in writing; (2) any Product that has been operated under more severe conditions or beyond the rated capacity specified for that Product; (3) depreciation or damage caused by normal wear and





tear, failure to follow operation or installation instructions, misuse, negligence or lack of proper protection during storage; (4) exposure to fire, moisture, water intrusion, electrical stress, insects, explosions, extraordinary weather and/or environmental conditions including, but not limited to lightning, natural disasters, storms, windstorms, hail, earthquakes, acts of God or any other force majeure event; (5) damage to any Product caused by any attempt to repair, replace, or service the Product by persons other than StoneAge authorized service representatives; (6) costs of normal maintenance parts and services; (7) damage sustained during unloading, shipment or transit of the Product; or (8) failure to perform the recommended periodic maintenance procedures listed in the Operator's Manual accompanying the Product.

REQUIRED WARRANTY PROCEDURES

To be eligible for warranty service, the End-User must: (1) report the Product defect to the entity where the Product was purchased (i.e. StoneAge or the Dealer) within the Limited Warranty Period specified in this Limited Warranty; (2) submit the original invoice to establish ownership and date of purchase; and (3) make the Product available to a StoneAge authorized service representative for inspection to determine eligibility for coverage under this Limited Warranty. This Limited Warranty shall not extend to any person or entity who fails to provide proof of original purchase from StoneAge or a Dealer. No Product may be returned for credit or adjustment without prior written permission from StoneAge.

DISCLAIMER OF IMPLIED WARRANTIES AND OTHER REMEDIES

EXCEPT AS EXPRESSLY STATED HEREIN (AND TO THE FULLEST EXTENT ALLOWED UNDER APPLICABLE LAW), STONEAGE HEREBY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ANY AND ALL WARRANTIES, REPRESENTATIONS OR PROMISES AS TO THE QUALITY, PERFORMANCE





OR FREEDOM FROM DEFECT OF THE PRODUCT COVERED BY THIS LIMITED WARRANTY. STONEAGE FURTHER DISCLAIMS ALL IMPLIED INDEMNITIES.

LIMITATION OF LIABILITY

End-User specifically acknowledges that the Product may be operated at high speeds and/or pressures, and that as such it may be inherently dangerous if not used correctly. End-User shall familiarize itself with all operation materials provided by StoneAge and shall at all times use and require its agents, employees and contractors to use all necessary and appropriate safety devices, guards and proper safe operating procedures. In no event shall StoneAge be responsible for any injuries to persons or property caused directly or indirectly by the operation of the Product if End-User or any agent, employee, or contractor of End-User: (1) fails to use all necessary and appropriate safety devices, guards and proper safe operating procedures; (2) fails to maintain in good working order such safety devices and guards; (3) alters or modifies the Product in any way not approved by StoneAge in advance in writing; (4) allows the Product to be operated under more severe conditions or beyond the rated capacity specified for the Product; or (5) otherwise negligently operates the Product. End-User shall indemnify and hold StoneAge harmless from any and all liability or obligation incurred by or against StoneAge, including costs and attorneys' fees, to or by any person so injured.

TO THE FULL EXTENT ALLOWED BY APPLICABLE LAW, STONEAGE SHALL NOT BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR PUNITIVE DAMAGES (INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF GOODWILL, DIMINUTION OF VALUE, WORK STOPPAGE, INTERRUPTION OF BUSINESS, RENTAL OF SUBSTITUTE PRODUCT, OR OTHER COMMERCIAL LOSS EVEN TO THE EXTENT SUCH DAMAGES WOULD CONSTITUTE DIRECT DAMAGES), WITH RESPECT TO THE COVERED STONEAGE PRODUCT, OR OTHERWISE





IN CONNECTION WITH THIS LIMITED WARRANTY, REGARDLESS OF WHETHER STONEAGE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

IT IS UNDERSTOOD THAT STONEAGE'S LIABILITY, WHETHER IN CONTRACT, IN TORT, UNDER ANY WARRANTY, IN NEGLIGENCE, OR OTHERWISE SHALL NOT EXCEED THE AMOUNT OF THE PURCHASE PRICE PAID BY THE END-USER FOR THE PRODUCT. STONEAGE'S MAXIMUM LIABILITY SHALL NOT EXCEED, AND END-USER'S REMEDY IS LIMITED TO EITHER (1) REPAIR OR REPLACEMENT OF THE DEFECTIVE WORKMANSHIP OR MATERIAL OR, AT STONEAGE'S OPTION, (2) REFUND OF THE PURCHASE PRICE, OR (3) ISSUANCE OF A CREDIT FOR THE PURCHASE PRICE, AND SUCH REMEDIES SHALL BE END-USER'S ENTIRE AND EXCLUSIVE REMEDY.

YOU, THE END-USER, UNDERSTAND AND EXPRESSLY AGREE THAT THE FOREGOING LIMITATIONS ON LIABILITY ARE PART OF THE CONSIDERATION IN THE PRICE OF THE STONEAGE PRODUCT YOU PURCHASED.

Some jurisdictions do not allow the limitation or exclusion of liability for certain damages, so the above limitations and exclusions may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights which vary from jurisdiction to jurisdiction. If any provisions of this Limited Warranty is held to be invalid or unenforceable, such invalidity or unenforceability shall not affect the validity or enforceability of the other portions hereof.

Source: http://stoneagetools.com/warranty





MANUFACTURER'S LIMITED WARRANTY

Power Line Industries, Inc. (aka Power Line) a Utah Corporation, doing business mainly as "Power Line USA", "Power Line Industries", "Power Wash Industries - HotJet USA" and various other entities and websites, herein referred collectively as Power Line Industries, Inc. has the following Manufacturer's Limited Warranty.

Subject to the limitations and conditions hereinafter set forth, Power Line Industries, Inc. et. al., warrants to the original Purchaser that its products are free from defects in workmanship and material within the warranty period listed below and/or attached or online, starting from the shipment date.

Your new equipment registration must be submitted online at www.powerlineregistration.com, emailed or mailed in within 30 days of purchase or this warranty will not be in force.

No statement or recommendation made by Power Line Industries, Inc., or its representative to Purchaser or User shall constitute a warranty by Power Line Industries, Inc., or a waiver or modification to any of the provisions hereof or create any liability for Power Line Industries, Inc.

All warranty claims are subject to the exclusions and limitations as outlined:

- 1. The warranty shall not apply if:
 - A. Equipment/Trailer has been abused, misused, neglected or in an accident;
 - B. Equipment/Trailer has not been installed or operated in accordance with safety/specifications or recommendations from Power Line Industries, Inc.;
 - C. Equipment/Trailer has been operated under more extreme conditions than those recommended for the particular product or service;
 - D. Equipment/Trailer has been operated beyond the rated capacity of the product; or
 - E. Equipment/Trailer has been repaired or altered outside a facility recommended of Power Line Industries, Inc., or in any way so as to affect its stability or reliability in the sole judgment of Power Line Industries, Inc. or its approved facility.
- 2. Products that Power Line Industries, Inc., furnishes, but does not manufacture, carry only the warranty of the manufacturer of such products. Where other manufacturers' or suppliers' products used in Purchaser's products or services prove defective, Power Line Industries, Inc., shall only be liable to the extent that Power Line Industries, Inc., is able to recover from such manufacturers or suppliers for such defects (see attached warranty).
- 3. Any warranty granted by Power Line Industries, Inc., to the Purchaser shall be deemed void if any goods covered by such warranty are used for any purpose not recommended or permitted.





In addition, the Purchaser shall indemnify Power Line Industries, Inc., and hold Power Line Industries, Inc., harmless from and against any and all claims, damages, losses, costs, expenses and other liability of whatever nature that Power Line Industries, Inc., suffers or incurs by reason of any such unintended use.

- 4. Notice of defective product or service must be given in writing to Power Line Industries, Inc., by Purchaser or User within fifteen (15) business days following receipt of goods. Purchaser or User shall keep such products or services in an unaltered condition for examination by an authorized representative of Power Line Industries, Inc. No goods may be returned for credit or adjustment without prior written permission from Power Line Industries, Inc.
- 5. All warranty replacement parts shipped to the Purchaser will be invoiced to Purchaser until defective parts are returned to Power Line Industries, Inc., 14773 Heritage Crest Way, Bluffdale, Utah 84065. Upon receipt of defective parts, a credit will be issued equal to the amount of the invoiced warranty parts. Freight on replacement parts is the responsibility of purchaser.

Shipping - Risk of Loss

All items purchased from Power Line Industries, Inc. and/or its subsidiaries are made pursuant to a shipment contract. This means the risk of loss and title for such items pass to you upon our delivery to the carrier. Power Line Industries, Inc. and its subsidiaries is not responsible or liable for any damage arising from shipment. If product is received damaged, purchaser must not damage on Bill of Lading and have driver sign damage and take pictures.

Warranties; Limitation of Liability for Merchandise

All merchandise listed in the Power Line Industries, Inc. and its subsidiaries website(s), catalogs or any type of Power Line Industries, Inc. and it subsidiaries advertisement are "as is" (to the extent allowed by law) and, unless otherwise specifically noted, are without warranties of any type, express or implied. Power Line Industries, Inc. and its subsidiaries disclaims all warranties, including, but not limited to, the Implied Warranty of Merchantability and the Implied Warranty of Fitness, for a particular purpose. For specific equipment and parts please see warranty/registration link at www. powerlineregistration.com for a complete description of the warranties we cover and/or see attached.

Power Line Industries, Inc. and it subsidiaries disclaims any liability for product defect claims that are due to product misuse, improper product selection and/or misapplication and any description, picture or other information communicated does not express or imply a warrant that the products are merchantable or fit for a particular purpose. Any liability for consequential, incidental, special, exemplary, or punitive damages are expressly disclaimed. Power Line Industries, Inc. and its subsidiaries' liability in all events is limited to, and shall not exceed, the purchase price paid for the product that gives rise to any liability.





Return Policy

Power Line Industries, Inc. and its subsidiaries retains the exclusive and sole right as to whether an item may be returned, exchanged or order canceled. Power Line Industries, Inc. and its subsidiaries thus encourages customers to use care when placing an order, as once placed the order cannot be canceled, nor the item returned or exchanged unless Power Line Industries, Inc. and its subsidiaries expressly consents in writing.

Power Line Industries, Inc. and its subsidiaries cannot accept returns of gas or diesel powered items once said items have been oiled and/or gassed. If said items have been gassed or oiled they need to be taken to an approved authorized service center for repair which may be covered under warranty.

At Power Line Industries, Inc. and its subsidiaries' sole discretion, if an item is approved to be returned, may impose a twenty five percent (25%) restocking fee on items returned, exchanged or canceled.

** Power Line Industries Inc.'s obligation under this warranty is limited to repair or issuing a credit for authorized repair or replacement of product/parts in question at Power Line Industries, Inc.'s sole discretion. This warranty is in lieu of all other warranties expressed or implied, including any warranty of merchantability for any particular purpose and all such warranties are hereby disclaimed and excluded by Power Line Industries, Inc. In no event shall Power Line be liable for any incidental or consequential damages or expenses of any kind. This includes lost income, travel time, and expenses, lodging expenses, labor expenses, down time, shipping costs, and any other incidental or consequential damages or expenses.

This warranty only applies to the original purchaser.

This warranty is subject to change at any time.

Power Line Industries, Inc. 14773 Heritage Crest Way Riverton, UT 84065 1-800-624-8186





MANUFACTURER'S LIMITED TRAILER WARRANTY

(OPEN DECK TRAILERS ONLY)

Power Line Industries, Inc. (aka "Power Line") a Utah Corporation, doing business mainly as "Power Line USA", "Power Line Industries", "Power Wash Industries - HotJet USA" and various other entities and websites, herein referred to collectively as Power Line provides a Manufacturer's Limited Trailer Warranty as follows:

MANUFACTURER'S LIMITED WARRANTY FOR ALL TRAILER PRODUCTS, SUPPLIED TO POWER LINE, AND SOLD UNDER THE "POWER LINE INDUSTRIES, INC., AND ITS SUPPLIERS (mainly Metalcraft Trailers, Inc. and Oquirrh Mountain Manufacturing, LLC.) " LABEL ARE SUBJECT TO SPECIFIC AND IMPLIED WARRANTIES AS FOLLOWS:

Power Line is in the industry of supplying trailers manufactured by various third party manufacturers. Power Line warrants that each trailer sold by Power Line and operated by the original purchaser under normal use in the Continental United States or Canada will be free from defects in materials and workmanship for one (1) year following the original purchase, subject to the requirements, exclusions and limitations stated below, which will be strictly applied.

ONE YEAR LIMITED WARRANTY

Subject to the requirements, exclusions and limitations stated below, the structure of your trailer is warranted to the original retail purchaser against defects in materials and workmanship by Power Line arising from normal use for one (1) year from the date of delivery. The structure is that portion of the trailer which includes the main frame, consisting of the bottom rails, cross members, and the sub frame, excluding the floorboards (where applicable).

Note: Trailers may at times be subject to extremely rough road conditions and use. While Power Line and its suppliers strive to build the best trailers for our applications, it is still extremely important to visually inspect trailer for structural integrity and follow our trailer safety check list prior to every use to ensure safety. If any issues are found - DO NOT use equipment - and call or email us to help resolve issues.

EXCLUSIONS

1. PAINT

Power Line warrants its paint finish to be consistent with industry standards for 90 days from the date of original retail purchase, within the "normal use" limitations set forth below and exclusive of deterioration due to use or exposure, <u>such as chipping, scratching, rusting, fading, cracks in caulk seams, road salt or tar, damage by animals or pressure washing.</u> Warrantable paint repairs are limited to spot repairs and blending consistent with standards in the trailer industry.





2. EXCLUSIONS:

Tires, axles, brake components, springs and suspension components, couplers, jacks and batteries purchased and installed by Power Line are warranted by their respective manufacturers and are excluded from this Power Line Limited Warranty.

NORMAL USE, NO REPAIRS OR ALTERATIONS

This Limited Warranty covers only defects in original components which manifest themselves during normal use and does not apply if the trailer has been subjected to harsh condtions, negligence, accident, abuse, misuse, neglect, overload or has been repaired or altered without the prior written consent of Power Line and its suppliers, Oquirrh Mountain Manufacturing, LLC. and Metal Craft Trailers, Inc. Normal wear items, including but not limited to struts, lights, bearings, brakes, brake linings, tires and batteries will not be replaced due to wear.

TRANSPORTATION COSTS EXCLUDED

Transportation of any trailer to and/or from any approved repair facility shall be the responsibility of the trailer owner. Power Line and its suppliers, Oquirrh Mountain Manufacturing, LLC. and Metal Craft Trailers, Inc. shall not be liable for any such costs.

3. PRIOR WRITTEN CONSENT REQUIRED AND RETURN OF DEFECTIVE PARTS REQUIRED No reimbursement will be made to any dealer or owner for repairs made without the prior written consent of Power Line and Oquirrh Mountain Manufacturing, LLC. and Metal Craft Trailers, Inc. Any defective part(s) must be sent by prepaid freight to Power Line or to its suppliers Oquirrh Mountain Manufacturing, LLC. and Metal Craft Trailers, Inc., as directed by Power Line in order to qualify for replacement or reimbursement under this Limited Warranty.

4. OTHER PRODUCTS EXCLUDED

This Limited Warranty applies exclusively to trailers manufactured for Power Line Any products not manufactured for Power Line or its suppliers, Oquirrh Mountain Manufacturing, LLC. and Metal Craft Trailers, Inc. are specifically excluded from this warranty. <u>Authorized repairs do not extend the term of this Limited Warranty. Modifications or repairs by third parties not authorized or directed by Power Line shall void this limited warranty.</u>

5. LIMITATIONS

The sole responsibility of Power Line and its suppliers Oquirrh Mountain Manufacturing, LLC. and Metal Craft Trailers, Inc. under this limited warranty shall be to repair and replace parts at a Power Line and its suppliers approved trailer repair facility; however, under unusual circumstances with prior written approval and at the discretion of Power Line and its suppliers, a reasonable allowance may be made for the repair if within the warranty periods. All other obligations or liabilities, including incidental or consequential damages or contingent liabilities arising out of the failure of any parts to operate properly are hereby excluded, including but not limited to any damages resulting from loss of use, inconvenience, loss of time, commercial loss or any other type of damages, general or specific, or unforeseen.





6. DISCLAIMERS

This warranty is expressly in lieu of all other warranties and representations. Power Line and its suppliers makes no representation or warranty of any kind, express or implied, with respect to Power Line trailers manufactured or sold by Power Line, whether as to merchantability, fitness for a particular purpose or any other matter. There are no warranties which extend beyond the description on the face hereof. All implied warranties of merchantability and fitness for intended use are limited to warranty periods stated above, unless any applicable state law provides otherwise.

7. DISPUTES UNDER THIS LIMITED WARRANTY

Any and all disputes and claims of any kind and nature whatsoever arising under this Limited Warranty shall be handled as provided in Power Line's agreement of purchase and sale for the Product. If such agreement does not include an express provision relating to the handling of disputes and claims, then the following terms shall apply to this Limited Warranty: This Limited Warranty shall be deemed to have been made in the State of Utah and subject to Utah laws (without regard to conflict of law principals), including all matters of construction, validity and performance, regardless of the location of the Product. Buyer expressly waives any and all rights to jury trial regarding any dispute hereunder and hereby irrevocably submits to the exclusive jurisdiction and venue of courts sitting in Salt Lake County, Utah, and hereby irrevocably waives, and hereby agrees not to assert by way or motion, defense, or otherwise, any claim that buyer is not subject personally to the jurisdiction of such courts, that the Product or any other property of yours is exempt or immune from attachment or execution, that any action brought under this Limited Warranty is brought in an inconvenient forum, that the venue of the action is improper or that this Limited Warranty cannot be enforced by any such courts.

8. REQUIRED WARRANTY CLAIM PROCEDURE

In order to validate this Limited Warranty, you must complete the warranty registration included in your equipment manuals documents folder and/or online at www.powerlineregistration.com no later than thirty (30) days following the purchase of your trailer or other merchandise from Power Line and its supplier. IF THIS WARRANTY IS NOT COMPLETED BY THE THIRTIETH DAY AFTER PURCHASE OF THE TRAILER, ALL EXPRESS WARRANTIES CONTAINED IN THIS LIMITED WARRANTY SHALL BE NULL AND VOID EXCEPT AS PROHIBITED OR OTHERWISE LIMITED BY LAW.

9. Within five (5) days after discovering a problem with your Power Line trailer, call us for a recommended repair center.

If the repair center cannot repair the problem free of charge - during the warranty period and you want to file a claim under this Warranty and within ten (10) days of your discovery of the defect, you must send a Limited Warranty Claim form to Power Line by fax or email, together with all required information.





Power Line will acknowledge such receipt of claim verbally or in writing, to the dealer and to the claimant. Power Line will respond as soon as possible, but no later than thirty (30) days after receipt of the claim. Any defective part(s) must be sent by prepaid freight to Power Line in order to qualify the claimant for replacement under this Limited Warranty. ALL DEFECTIVE PARTS MUST BE RETURNED TO Power Line WITHIN 30 DAYS FROM DATE OF Power Line APPROVAL TO QUALIFY FOR REPLACEMENT.

Power Line will not reimburse any claimant for any adjustment or repair of a Power Line trailer without prior written approval by Power Line

Power Line reserves the right to not pay unreasonable costs for replacement or repair defects in Power Line trailers and may, at Power Line Industries, Inc's discretion, establish a reasonable reimbursement for any authorized work performed under the terms of this Limited Warranty.

POWER LINE D.B.A. POWER LINE USA AND ITS SUPPLIERS, MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES AND THERE ARE NO OTHER WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE OF THIS LIMITED WARRANTY.

** Power Line's obligation under this warranty is limited to repair or issuing a credit for authorized repair or replacement of product/parts in question at Power Line's sole discretion. This warranty is in lieu of all other warranties expressed or implied, including any warranty of merchantability for any particular purpose and all such warranties are hereby disclaimed and excluded by Power Line In no event shall Power Line be liable for any incidental or consequential damages or expenses of any kind. This includes lost income, travel time and expenses, lodging expenses, labor expenses, down time, shipping costs, and any other incidental or consequential damages or expenses.

This warranty only applies to the original purchaser.

This warranty is subject to change at any time, as indicated by the posting of the current warranty on Power Line's website.

For questions or comments, please direct your correspondence to the address below.

Power Line

Customer Service / Warranty Dept. 14773 S Heritage Crest Way Riverton, UT 84065 (800) 624-8186 Fax (801) 545-9132





Power Washer/Jetter Equipment Operation, Safety, Environmental & Detergent Disclaimer

Power Line Industries, Inc.

WARNING: PRESSURE WASHERS AND HIGH PRESSURE WASHER/JETTING UNITS MANUFACTURED OR SOLD BY POWER LINE INDUSTRIES, INC., ARE DESIGNED AND INTENDED TO BE USED AT VERY HIGH PRESSURES AND OPERATING WITH HOT OR COLD WATER AND MAY BE DANGEROUS IF OPERATED IMPROPERLY OR WITHOUT THE OPERATOR USING ALL APPROPRIATE SAFETY EQUIPMENT OR PROTECTIVE GUARDS AND FOLLOWING ALL MAINTENANCE PROCEDURES.

PURCHASER IS HEREBY NOTIFIED TO (1) CAREFULLY READ, UNDERSTAND AND FOLLOW THESE TERMS AND CONDITIONS AND (2) HAVE ALL OPERATORS SIGN THE ATTACHED "SAFETY GUIDELINES FOR OPERATING HIGH PRESSURE WASHER / JETTER EQUIPMENT," AS THEY HAVE VERY IMPORTANT LEGAL CONSEQUENCES AND WILL HELP COMPLY WITH OSHA REQUIREMENTS.

Power Line Industries, Inc. a Utah Corporation, (doing business as "Power Line USA", "Power Line Industries", "Power Wash Industries - HotJet USA" and various other entities and websites, herein referred to collectively as Power Line Industries, Inc.) is constantly striving for operator's and workplace safety to ensure that the high pressure washer and washer/jetting equipment and other products it manufactures or sells are as dependable and safe as reasonably practicable. All equipment must be operated according to the manufacturer's specifications, and in compliance with consistent general safety practices and all safe operation guidelines provided with the equipment for all operators and their helpers. If not operated safely, this equipment may cause potentially extreme bodily harm and potentially life-threatening injuries.

NEVER OPERATE HIGH PRESSURE WASHER/JETTING EQUIPMENT ABOVE THE MAXIMUM PRESSURE LIMIT FOR THE EQUIPMENT OR MAXIMUM HEAT SPECIFIC TO EACH UNIT, AND IMMEDIATELY CEASE USING EQUIPMENT THAT OPERATOR KNOWS TO BE IMPROPERLY MAINTAINED OR MALFUNCTIONING.

Power Line Industries,Inc., can neither anticipate nor warn against the many ways or operating circumstances in which accidents or injuries can occur. Therefore, the washer/jetting power unit operator and the employer are ultimately responsible for the personal safety of the operator(s), and others in the area of the washer/jetting unit, and the protection of property on or around which the unit is utilized. The operator(s) must stay alert about their personal safety, and take precautions to ensure the safety of co-workers and any other person in the operation vicinity in which the high pressure washer/jetting unit is operated.

Purchasers of high pressure washers and washer/jetting equipment manufactured or sold by Power Line Industries, Inc., must provide their employees, operators and workers must provide with the proper safety equipment, fully train them to identify workplace hazards and understand how to





operate the equipment safely, and implement and strictly enforce polices and procedures to ensure the use of safety equipment and proper operation.

Responsibility of Purchaser to Train in Safe Operation

It is the sole responsibility of the unit purchaser and operator to ensure and oversee all required training and safety precautions, and Power Line Industries, Inc., expressly disclaims liability for loss or injury arising from improper use, maintenance, or operation of the equipment. Without abrogating or waiving this disclaimer, and without assuming responsibility for training any operators, Power Line Industries, Inc., provides comprehensive operation and safety training, as described more fully on its websites and ALL operators must sign the "Safety Guidelines for Operating High Pressure Washer/Jetter Equipment" found at the end of this document and mail, email, or fax this document back to Power Line Industries Inc., prior to use of the equipment to ensure safety compliance for all personnel. While these "Safety Guidelines for Operating High Pressure Washer/Jetter Equipment" cannot warn against all the potential hazards found with equipment operation in the workplace, it should be carefully read and followed to minimize risk.

Pre-Operation Requirements and Warnings

Personal Protective Equipment Use and Work Area Safety Is the Sole Responsibility of the Employer and Washer/Jetting Unit Operator!

- Always read and follow directions as stated within the operating manual and safety materials
 provided with high pressure washers/jetters or other equipment from Power Line Industries,
 Inc. Operators must understand that the manual and warnings cannot and do not identify
 all the possible hazards that may be encountered at every job or application for which the
 equipment will be utilized. Previous experience, training, common sense and good judgment
 should be applied in determining the operation feasibility and safety of operational methods in
 the workplace.
- The maximum temperature we recommend for our hot water jetting equipment to operate is 120°. Operator needs to be aware that running at higher temperatures can cause severe burns if improperly operated. Power wash equipment while it may be possible to operate at higher temperatures, operators must be aware and assume the risk that operation at higher temperatures can potentially cause extreme burns and may increase the risk of property damage.
- No purchaser or operator shall use or operate any high pressure washer or washer/jetting
 unit from Power Line Industries, Inc., without a thorough review and full understanding of our
 "Safety Guidelines for Operating High Pressure Washer/Jetter Equipment" provided with the
 particular unit being used.
- Prior to using equipment from Power Line Industries, Inc., operators must sign and submit to Power Line Industries, Inc., the "Safety Guidelines for Operating High Pressure Washer/Jetter Equipment" located within the "Owners & Operators Manual for Power Line"





Industries, Inc., High Pressure Washer/Jetting Units."

- The operator of any pressure washer or high pressure jetting unit is solely responsible for the safe operation of the equipment, as well as the safety of co-workers, other people in the work area, and is responsible for any property damages at work sites.
- The operator of any pressure washer or high pressure jetting unit is responsible for daily equipment checks, repairing or replacing any worn or damaged components before use (trailer's integrity, power units, hoses, etc).
- Power Line Industries, Inc., is not responsible for damage or injury resulting from the unintended or improper use of high pressure washer/jetting equipment, nozzles or accessories, nor for its use when a defect, malfunction or maintenance issue is known to the purchaser or operator.
- Operators and other co-workers shall always wear Personal Protective Equipment (PPE)
 whenever using high pressure washer/jetting equipment, as reviewed more fully below.

Recommended Safety Policies and Procedures

Following proper safety precautions include, among other things, ensuring proper operator training, consistent inspection and maintenance of the high pressure washer/jetting unit, proper and consistent use of Personal Protective Equipment (PPE) for all operators and nearby workers, and protection of the work area by removing or covering personal property and excluding from the area all non-essential personnel and passers-by.

Implement Sound Safety Policies

It is critical that the employer or purchaser establish and enforce safe operation policies and procedures to be followed by all equipment operators. All new operators shall be extensively trained in these safe operation polices and sign the "Safety Guidelines for Operating High Pressure Washer/Jetter Equipment." Familiarity with the policies and procedures by each operator should be required and documented by the purchaser or employer prior to operation of high-pressure equipment. A summary of operational policies and procedures should be prominently posted in the area in which the unit will be used. The strict enforcement of safety policies and operational precautions will help minimize the risks associated with the operation of the power wash/jetter equipment. While Power Line Industries, Inc., offers operational training and provides safe use instructions with the sale of each high pressure washer/jetting unit, it does not warrant against, nor does it assume liability for, the consequences of the operator's misuse of, or failure to properly inspect and maintain, the equipment/trailer. It is the responsibility of the unit purchaser and operator to ensure and oversee all required training, and Power Line Industries, Inc., expressly disclaims liability for loss or injury arising from unintended, irresponsible use, lack of maintenance, or improper operation of the equipment.

Regular Maintenance and Thoroughly Inspect Equipment and Trailer

Immediately after purchasing the high pressure washing/jetter unit or other equipment, the purchaser should (a) compare the packing list to ensure all guards and safety equipment intended to be





Guidelines for Operating High Pressure Washer/Jetter Equipment"; (b) review the operator's manual and safety precautions provided, and establish policies and procedures appropriate for safe operation of the equipment in the purchaser's desired application; (c) ensure thorough training of all potential operators or assistants and have them sign the included "Safety Guidelines for Operating High Pressure Washer/Jetter Equipment"; and (d) carefully test the equipment to ensure proper assembly and function. Thereafter, the equipment should be consistently maintained according to the manufacturer's specifications and any instructions provided at the time of purchase. The equipment should be carefully inspected, serviced and repaired as necessary prior to any use of that equipment.

Practice Area Safety and Awareness

It is the ultimate responsibility of the purchaser and equipment operator to be aware of people and objects near the work area and to maintain safe working conditions at all times. Do not operate the equipment around customers or others who are not equipped with adequate Personal Protective Equipment. Utilize warning cones, safety tape, barricades and other precautions necessary and prevent people from entering the work area. Having a trained operator's assistant is essential to keep operator aware of any potential hazards or risks to the operator and to people and property in the work area while equipment is in operation.

Utilize Personal Protective Equipment

Power Line Industries, Inc., provides a limited range of basic Personal Protective Equipment (PPE) such as goggles, gloves, and other safety equipment for use by operators of pressure washing units and other equipment, but it does not offer for sale all PPE that may be required in a particular situation or for a specific type of use.

At a minimum, users or operators of any type of high pressure washer/jetting equipment must use the following safety equipment and Personal Protective Equipment:

- (a) safety glasses or face shield, as appropriate under the circumstances;
- (b) insulated gloves used in conjunction with inner latex gloves;
- (c) hard hats if needed/required:
- (d) hearing protection;
- (e) safe and appropriate clothing;
- (f) steel toe work boots if needed/required;
- (g) work area barricades if needed/required; and
- (h) safety vests if in traffic areas.

Waiver of Claim Against Seller Does Not Adhere to the Following

Under no circumstances shall Power Line Industries, Inc., be responsible for any injuries to persons or property caused by defects in any equipment, including guards, pumps, hoses, fittings, seals, hoses, valves, nozzles, piping, guns or other accessories. Purchaser agrees to indemnify Power Line Industries, Inc., and hold it and its principals, employees, and agents harmless from any and all liability or obligation incurred by operator or any other person or thing or asserted against Power Line Industries, Inc., including damage costs, injury to or by any persons injured directly or indirectly in the operation of the equipment, attorney fees, and costs of defense if purchaser fails to:





- 1. Purchase and provide, and ensure the proper use by purchaser's operators and workers, all necessary and appropriate safety devices and Personal Protective Equipment as determined or recommended by the manufacturer, safety professionals, or Power Line Industries, Inc.;
- 2. Enforce operators to consistently inspect, before each job, the equipment and trailer and maintain all equipment and safety devices in proper working order;
- 3. Modifies, omits, adds, replaces or substitutes any parts on either the equipment or its trailer without prior permission of Power Line Industries, Inc.;
- 4. Exceeds, at any time, the maximum safe trailer loads, pressures, pump or engine speeds recommended by Power Line Industries, Inc., or by the equipment's manufacturer;
- 5. Fails to operate the product or equipment in accordance with the operator's manual and safety precautions, or operates the equipment in a negligent manner; or
- 6. Fails to establish, maintain and enforce a safe work area where the high pressure washer/jetting unit is to be used.
- 7. Rents or "loans" said piece of equipment to a party that is not fully trained in its safety and operation and who has not signed and returned the "Safety Guidelines for Operating High Pressure Washer/Jetter Equipment."
- 8. Fails to have operators sign the "Safety Guidelines for Operating High Pressure Washer/
 Jetter Equipment."

Any and all technical advice, operational guidelines and recommendations (whether verbal or in writing) offered by Power Line Industries, Inc., are intended for use by persons having competent related skills, at their own risk, and Power Line Industries, Inc., assumes no responsibility, and Purchaser hereby waives all claims against Power Line Industries, Inc., for damages incurred from the use of equipment, training, advice, recommendations, or technical support services from Power Line Industries, Inc., or its employees, subsidiaries, or agents.

Product Liability

Purchaser specifically acknowledges that the equipment being purchased from Power Line Industries, Inc., are intended to be operated at high pressures and/or high temperatures, and that as such they may be inherently dangerous if not used correctly. Purchaser shall be solely responsible for the safe operation of the products at all times and for determining the safety devices, guards (and circumstances) that may be required for the safe operation of the equipment and trailer. Purchaser shall specify and order all safety devices and guards necessary for the safe operation of the equipment covered. The safety devices and guards offered by Power Line Industries, Inc., do not reflect all safety equipment that may be required. Purchaser shall require its employees to use all necessary and appropriate safety devices, guards and proper safe operating procedures at all times. Purchaser shall not remove or modify any such devices, guards or warning signs and shall insist on safe operating practices at all times from all operators.





Under no circumstances shall Power Line Industries, Inc., be responsible for any injuries to persons or property caused by defects or misuse of any equipment. This includes, and is not limited to: pumps, motors, trailers, compressors, fittings, connections, components, nozzles, piping or hoses up to the connection point to the product or potential injuries from the cleaning process.

Purchaser agrees to indemnify and to hold Power Line Industries, Inc., harmless from any and all liability or obligation incurred by or asserted against Power Line Industries, Inc., including costs and attorney fees, to or by any persons injured directly or indirectly in the operation of the equipment furnished if the following conditions are not strictly adhered to:

- 1. Purchasing, providing and requiring usage of all appropriate safety devices and guards.;
- 2. Inspecting equipment and trailer for any problems prior to transporting or operation (loose lug nuts, fasteners, trailer integrity, lighting, etc).
- 3. Adding or omitting, repairs, modifies, replaces or substitutes any components on the equipment without approval from Power Line Industries, Inc.
- 4. Exceeding at any time the maximum safe trailer loads, pressures or operating temperature recommended by Power Line Industries, Inc.
- 5. Failing to operate the product or equipment in accordance with all printed instructions from Power Line Industries, Inc., or negligently operates the equipment.
- 6. Failing to have all operators sign the "Safety Guidelines for Operating High Pressure Washer/Jetter Equipment"

Detergent Disclaimer

The conditions and use of Power Line detergents is beyond the control of Power Line Industries Inc. Users must comply with all OSHA, SDS and environmental issues and users assume all liability in their use thereof.

Environmental Disclaimer

The conditions of equipment use are beyond Power Line Industries, Inc.'s control. Therefore, owners and operators of any Power Line Industries, Inc. equipment assume any and all liability in the operation of the equipment and its potential environmental compliance. If user has questions or concerns about the proper use of equipment for environmental compliance, user needs to contact the proper entity that has the authority to ensure operation/cleaning compliance with the applicable environmental regulation.

This disclaimer maybe changed, edited or modified at the discretion of Power Line Industries, Inc., at anytime without notice.

6

Ref. 04202017



Safety Guidelines for Operating High Pressure Jetter Equipment



It's imperative that all operators read the safety and operating instructions before using any HotJet USA product. Drain and sewer cleaning can be dangerous if proper procedures are not followed and appropriate safety gear is not utilized. Read the engine owner's manual for instruction and safety precautions on engine operation.

A DANGER

Improper use of this equipment can cause extreme physical harm, severe burns, and potentially life threatening injuries.

This safety guideline must be reviewed and signed by all operators prior to running any high pressure jetter equipment.

SEWER JETTING SAFETY

Sewer jetting is a serious business that can result in serious injury or death when proper safety precautions are not followed. Awareness of common jetting hazards, knowing how to protect oneself from them, and learning and practicing the proper safety procedures can greatly reduce the chances of disaster striking at unexpected moments.

TOMMON JETTING HAZARDS

When water is pressurized to 4,000 PSI, it becomes a potentially deadly force that can easily result in serious injury when the water jet comes into contact with skin or eyes. The impact of a high pressure nozzle, leaky hose or being hit by contaminated waste can cause potentially life threatening injuries. When jetting is performed in confined spaces, all applicable OSHA rules for confined space entry and personal protective equipment must be followed.

PERSONAL PROTECTION

Proper dress is also important when performing high-pressure water jetting. Coveralls should be worn. A heavy duty raincoat should also be worn to keep technicians dry and to help provide a barrier in the event there is contact with hot water or debris flying from the pipe.

Safety goggles should always be worn to protect the eyes from a high pressure jet of water. Water pressure above 2,000 PSI requires a full face shield, and at 4,000 PSI the water jet can literally tear an eyeball from its socket or cause other serious injury.

Heavy duty, waterproof gloves (insulated, if running hot water) are needed to protect the hands. Rubber boots with metatarsal guards are highly recommended. Hard hats are necessary in environments where falling objects are a potential hazard.

HAZARDOUS BACTERIA AND MATERIALS

Drains and sewer can carry bacteria and other infectious micro-organisms or materials which can cause death or severe illness. Avoid exposing eyes, nose, mouth, ears, hands and cuts and abrasions to waste water or other potentially infectious materials during drain and sewer cleaning operations. To further help protect against exposure to infectious materials, wash hands, arms and other areas of the body, as needed, with hot, soapy water and, if necessary, flush mucous membranes with sterile water.

Also, disinfect potentially contaminated equipment by washing such surfaces with a hot soapy wash using a strong detergent.

☐ GASOLINE IS EXTREMELY FLAMMABLE AND IS EXPLOSIVE UNDER CERTAIN CONDITIONS

- Refuel in a well ventilated area with the engine stopped. Do not smoke or allow flames or sparks in the area where the engine is refueled or where gasoline is stored.
- Do not overfill the fuel tank (there should be no fuel in the filler neck). After refueling, make sure the tank cap is closed properly and securely.

TARBON MONOXIDE DANGERS

Carbon monoxide exhaust and/or gasoline fumes from this equipment can create a hazardous atmosphere in confined spaces (which may include, but are not limited to, manholes and septic tanks), closed garages or other areas which may not be properly ventilated. In particular, excess gasoline fumes can create an explosion hazard. Such hazardous atmospheres can cause death or severe injury. Do not operate this equipment in any confined space or area with inadequate ventilation. Operate this equipment only when located outdoors or in an open, well ventilated area.

☐ HOT WATER PRECAUTIONS

With the hot water on, it is highly recommended not to turn the water thermostat above 120° degrees... to prevent possible burn and scalding type injury.

☐ TRAILER SAFETY

It is imperative to retighten and check all fasteners and lug nuts on a regular basis. Trailers create a lot of vibration and fasteners can come loose. Be sure to gather all miscellaneous parts and secure before traveling. The vibation from operation of trailer systems over the road and given road conditions with potholes, etc. trailer running gear, trailer deck and frame are subject to intense structural challenges and must be examined regularly for any damage or stresses. **DO NOT OPERATE IF ANY DAMAGE IS OBSERVED.**

OPERATOR AGREEMENT

As the operator I understand the potential and intent for the use and limits of the high pressure jetting equipment and the high temperature of water generated by this equipment. (If a hot water unit was ordered). I have received and read the complete set of instructional and safety literature and shall use extreme care in the operation of the equipment.

I UNDERSTAND THE PRECAUTIONS FOR SAFE OPERATION OF THIS HIGH PRESSURE EQUIPMENT AND AGREE TO THE FOLLOWING:

- UNDER NO CIRCUMSTANCES SHOULD I OR ANYONE OPERATE THIS JETTING EQUIPMENT WITHOUT PROPER TRAINING.
- WHEN OPERATING JETTER, NEVER TURN THE PRESSURE VALVE THAT FEEDS THE HOSE OR HOSE REELS TO THE ON POSITION UNLESS THE HOSE IS PROPERLY INSERTED A MINIMUM OF 2' 3' INTO THE PIPE OR SEWER LINE OR A TRIGGER GUN IS CONNECTED TO THE PRESSURE HOSE.
- OPERATORS NEED TO FAMILIARIZE THEMSELVES WITH THE HIGH PRESSURE VALVING, SO THAT THEY HAVE A COMPLETE UNDERSTANDING OF THE ON AND OFF POSITION(s) OF THE HOSE REELS.

- ALWAYS USE A LEADER HOSE AND/OR SAFETY MARKED HOSE MARKED 6' FROM END, SO THAT THE OPERATOR CAN VIEW WHEN THE HOSE IS RETURNING FROM CLEANING THE SEWER LINE/PIPE.
- TO KEEP THE NOZZLE FROM TURNING AROUND BACK ON ITSELF AND POTENTIALLY EXITING THE PIPE AT THE OPERATOR, CREATING A VERY DANGEROUS SITUATION, NEVER OPERATE NOZZLES/TOOLS IN A PIPE OR OPENING WITH A DIAMETER LARGE ENOUGH TO ALLOW THE TOOL TO TURN AROUND. A SOLID STEEL NIPPLE SHOULD BE INSTALLED BETWEEN THE JETTER HOSE AND NOZZLE TOOL. THE NIPPLE LENGTH TO BE DETERMINED BY THE DIAMETER OF THE DRAIN / SEWER PIPE THAT YOU ARE CLEANING. (THE LENGTH OF THE TOOL/NOZZLE INCLUDING THE END FITTING ON THE HOSE SHOULD BE GREATER THEN THE INSIDE DIAMETER OF THE PIPE TO BE CLEANED TO PREVENT THE TOOL/NOZZLE FROM TURING AROUND. IF NOT A RIGID PIPE SHOULD BE INSTALLED BETWEEN THE HOSE END AND THE TOOL/NOZZLE).
- ALL JETTING NOZZLES MUST BE THREADED ON AND TIGHTENED SECURELY. USE OF QUICK COUPLERS CAN CREATE A HAZARDOUS SITUATION.
- EYE, FACE AND HAND PROTECTION IS MANDATORY WHEN OPERATING THIS PIECE OF EQUIPMENT. OTHER PERSONAL PROTECTIVE EQUIPMENT (PPE) MAY BE REQUIRED DEPENDING UPON APPLICATIONS.
- UPON COMPLETION OF CLEANING THE LINE, DEPRESSURIZE THE HOSE BEFORE WITHDRAWING THE HOSE FROM THE PIPE OR SEWER LINE. RELIEVE PRESSURE BY SHUTTING OFF THE VALVE THAT FEEDS THE HOSE REEL AND THEN OPEN THE PRESSURE BYPASS VALVE. ALWAYS TURN OFF THE HOSE REEL VALVE OR SHUTOFF ENGINE BEFORE REMOVING THE TOOL FROM THE LINE AND RELIEVE ANY BACK PRESSURE ON HOSE WHEN FINISHED CLEANING.
- ALWAYS TURN OFF THE HOSE REEL VALVE OR SHUT-OFF ENGINE BEFORE REMOVING THE TOOL FROM THE LINE AND RELIEVE ANY BACK PRESSURE ON HOSE WHEN FINISHED CLEANING. THE BACK PRESSURE IS BEST RELIEVED BY OPENING THE EASY START VALVE. WARNING: PORTIONS OF THE SYSTEM CAN STILL BE UNDER PRESSURE EVEN IF THE UNIT IS NOT OPERATING.
- THE BACK PRESSURE IS BEST RELIEVED BY OPENING THE EASY START VALVE.
- NEVER USE DAMAGED OR WEAKENED HOSE.
- OPERATOR MUST POSITION THEMSELVES OUT OF THE POSSIBLE PATH OF AN OUT OF CONTROL NOZZLE/CLEANING TOOL AND ANY DEBRIS THAT THEY COULD COME INTO CONTACT WITH.
- UNDER NO CIRCUMSTANCES AIM THE SPRAY OR GUN AT ANY PERSON OR ANY PART OF THE BODY. FLUIDS UNDER PRESSURE WILL PENETRATE THE HUMAN SKIN AND CAN CAUSE SEVERE INJURY. IF ANY INJURY OCCURS, SEEK IMMEDIATE MEDICAL CARE FROM A DOCTOR! DO NOT TREAT AS A SIMPLE CUT! BE READY TO TELL YOUR DOCTOR OR HOSPITAL EMERGENCY ROOM DOCTOR EXACTLY WHAT HAPPENED.
- UNDER NO CIRCUMSTANCES ALTER EQUIPMENT IN ANY MANNER. IF REPAIRS ARE NECESSARY, USE ONLY GENUINE FACTORY REPAIR PARTS, INSTALLED BY A CERTIFIED TECHNICIAN.

- UNDER NO CIRCUMSTANCES SPRAY FLAMMABLE MATERIALS.
- WHEN USING A JETTER SYSTEM NEVER EXCEED THE MAXIMUM OPERATION PRESSURE OF THE LOWEST RATED ACCESSORY ITEM WITHIN THE SPRAY SYSTEM.
- UNDER NO CIRCUMSTANCES LEAVE EQUIPMENT UNDER PRESSURE, UNATTENDED, EVEN FOR ONLY A FEW MINUTES.
- WHEN JETTING ALWAYS BE AWARE OR YOUR SURROUNDINGS AND POTENTIAL OVER-SPRAY. THE SPRAY OF THE WATER CAN THROW OBJECTS THAT CAN CAUSE POTENTIAL DAMAGE AND OR INJURE OTHERS WITHIN YOUR WORKING AREA.
- ONLY USE KEROSENE OR DIESEL AS BURNER FLUID. USE OF GASOLINE AS BURNER FLUID CAN CAUSE A HUGE EXPLOSION.
- IF USING HOT WATER, YOU MUST TAKE EXTRA PRECAUTIONS WHILE OPERATING EQUIPMENT (USE OF INSULATED GLOVES, ETC.). HOT WATER CAN CAUSE SEVERE BURNS, THEREFORE WE RECOMMEND SETTING THE THERMOSTAT AT NO MORE THAN 120°.

Environmental: The conditions of use are beyond the control of vendor, therefore operator is responsible for the safe environmental operation of this equipment and potential cleaning discharges.





Customer is Responsible: For complying with local codes and regulations in the operation of this equipment.

Keep children at a safe distance when using a JETTER SYSTEM.

"California Prop. 65: This product may contain an extremely small amount of lead in the coating. Lead is a material known to the State of California to cause cancer or reproductive toxicity."

Operator is in agreement that they have read this form and fully understand its contents ultimately responsible for evaluating the hazards and safe operation of this equipment.	3 1
Power Line Signature	Date
Customer Signature	Date