ULTIMATE DRAIN CLEANING BUSINESS PACKAGE

LOCATOR



INSPECTION CAMERA



IntJetusa®

HOTJET

FEATURING THE BEST SELLING

PACKAGE INCLUDES:

- HotJet II[®] Hot/Cold Water Trailer Jetter
- Inspection Camera
- Locator
- Small Electric Hand-held Jetter
- Safety/Operational & Business Marketing Training*
- □ Freight**

14773 HERITAGE CREST WAY RIVERTON, UTAH 84065 1.800.624.8186 www.hotjetusa.com



PRICE INCLUDES THE HOTJET II® HOT/COLD WATER TANDEM AXLE TRAILER JETTER, SEWER INSPECTION CAMERA, SMALL ELECTRIC JETTER, LOCATOR, ADMISSION FOR ONE TO OUR VERY POPULAR HANDS-ON TRAINING CLASS* and FREIGHT*!

WHATA	DEAL!
HotJet II®	\$36,995 ^{.00}
Camera	\$4,498 ^{.50}
Small Electric Jetter	\$2,995 ^{.00}
Locator	\$1,295 . ⁰⁰
Training	\$2,495 ^{.00}
Freight	\$2,300 ^{.00}
	.

TOTAL PACKAGE PRICE

\$50,578.50



* AIRFARE FROM LOWER 48 STATES INCLUDED!! - SPECIAL GOOD THROUGH SEPTEMBER 30, 2018 ** LOWER 48 STATES ONLY - FREIGHT TO HAWAII & ALASKA and INTERNATIONAL IS EXTRA

Single Engine / Gas HOT OR COLD OPERATION CLEANS 2" TO 12" LINES

HotJet's Trailer Mounted Sewer and Drain Line Jetters are engineered for the **Professional Rooter**, **Plumber and Municipalities** and will tackle the toughest blockages! **Extremely effective in removing grease**, **soils**, **ice build ups**, **and blockages in drain lines from 2" to 12"** - Easy to operate and priced right! Our Hot Jet Units are truly versatile workhorses - and they can be utilized as a dual purpose machine. **First** - as a powerful drain jetter and **Second** as a high pressure hot water cleaning unit to clean up properties. The unit includes our **Exclusive Engineering Features and the Best Warranty in the Industry!**

Trailer Colors

Red
Black
Blue
Safety Yellow

DIESEL OPTION AVAILABLE! CONTACT US FOR DETAILS

Part Number	Engine	Output [*]	Other Specifications
HJ2TA1040HW	35HP Vanguard by Toyota	10GPM @ 4,000 PSI	 Drive Triple V-Belt Trailer Size 5' x 12' Deck Tandem Axle, Powder Coated Axle Rating 2 x 3,500 LB.
HJ2TA9038HWCAL**	25HP Vanguard by Toyota	9GPM @ 3,850 PSI	

*Output +/- 5% PSI and GPM vary as per elevation, engine RPM and nozzle size.

Exclusive Engineering Features

Dual Filter Intake System

We pre-plumb the pump intake so the draw water from the tank is dual filtered - one 80 mesh filter and the other a 50 mesh filter to protect the pump. This has proven to dramatically increase the pump life and reduce down time.

🗇 Pump

The pump systems we use are manufactured by General Pumps. The Emperor Series General Pump are proven with literally thousands in service worldwide. They are easy and inexpensive for service and we back them with a 10 year warranty.

Full Remote Control

Engine on/off and heater on/off for safety and convenience. Full solid state - works up to 300'.

Pump Saver System

We engineer all sewer jetter trailers with our "pump saver system" - that when the hose flow is released, the bypass water re-circulates back to the water tank. This keeps the head of the pump cool extending its life substantially.

** CALIFORNIA AIR COMPLIANT

□ TBDS[™] (Total Belt Driven System)

All components are belt driven. The pump is Triple-V-Belt Driven. Belt driven reduces vibration and allows the pump to run at 1/2 RPM. This extends operational life, especially vs. gear driven power plants.

Chemical Application

The equipment operator can control the concentration levels at the machine and controls the chemical concentration depending on the job needs.

Dual Antifreeze Systems

(1) Our sewer jetter trailer units come with our quick antifreeze system where you close one valve and open the antifreeze ball valve - then run the machine for 30 seconds and the entire system is antifreezed. Start the machine - then recapture the antifreeze in the antifreeze tank and re-attach the jetter nozzle and you are ready to jet!

(2) System Blow Out - Attach an air hose to head of pump and open all valves.

(3) Total System Recycle - In cold weather you can also leave the equipment running and it will recycle the water back to tank.



POWERFUL • BUILT TO LAST • BEST WARRANTY

This is our most popular jetter trailer package for the Professional Rooter and Plumber Companies and Smaller Cities. This jetter trailer is a super combination of high PSI (3,850 +/-) with great output GPM (10.0 +/-) to clean nearly any blockage in lines up to 12". Super price competitive and looks better than units that cost 2x's the price! Super dependable Vanguard Power Plant (made by a Division of Toyota) - combined with General's Premium Emperor Series Pump is a bullet proof engineering design. Add the Jumper Hose Reel for laterals and this unit becomes 2 jetters in one! With the Warthog Nozzle this unit has plenty of power to cut roots and nearly any blockage.

GENERAL SPECIFICATIONS

- 330 Gallon Water Capacity
- Molded HDP Water Tank(s)
- Adjustable Pressure Relief/Control Valve(s)
- Rear LED Lighting
- 2" Fast Fill Pipe with 100' Fill Hose
- Full Variable Pressure and Rear Throttle Control
- 2 PSI Gauges Front and Rear

PUMP

- General Premium Emperor Series TSF2021 Pump max output 10 GPM @ 4,000 PSI (+/- 5%)
- Triple V-Belt Driven for Smooth Operation
- Dual Safety Adjustable Blow Off Valves
- Dual Hose Pulsation Controls
- Full Ten (10) Year Warranty

MOTOR DESCRIPTION

- Engine Vanguard 35HP
- Battery & Battery Box
- 14 Gallon Gas Fuel Tank
- 24 Gallon Diesel Fuel Tank
- Ultra Quiet Muffler
- Three (3) Year Commercial Warranty

REMOTE CONTROL

- Solid State Remote Control Operates Equipment from Up to 300 feet
- Controls Engine On/Off and Heat On/Off
- Can be run on Manual or with the Remote control

DIESEL BURNER SYSTEM

- Heated by Diesel Fuel
- Custom engineered burn chamber for very rapid heat rise • and very consistent output temperatures
- Cold rolled continuous schedule 80 coil. The horizontal coil • is much easier to support for "over the road" transportation.
- Heat rise from ambient temperature @ full output is 76° •



EXCLUSIVE ENGINEERING FEATURES

- Dual Antifreeze system
- Twin Filter System
- Pump Saver System
- Soap Injection System
- TBDS (Total Belt Driven System)
- Full Recycle System

SEWER HOSE & REEL

- Sewer Hose 300' HD Steel Braided Construction 12,000 PSI **Burst - Cut Resistant**
- Variable Speed Control Reel
- Heavy Duty 12 Volt Powered
- 120° Guide Arm with Thumb Control On/Off

TRAILER DESCRIPTION

- Full Premium Powder Coat
- Rugged, Specially Engineered Trailer to Haul the Equipment and Water Load
- Leaf Spring Axles Cushion and Distribute the Weight for Easy Towing
- 5'x12' Tandem Axle (2 x 3,500 lb)
- Dual Axle Brake DOT Legal in all 50 States
- Full LED Lighting

ACCESSORIES/UPGRADES AVAILABLE

660 Gallon Water Capacity with 14,000 lb rated trailer

OVERALL DIMENSIONS

- Overall Length
- Deck Length
- Height
- Overall Deck Width
- Weight Dry
- Weight Full Load
- **SELLS FOR**


INCLUDED WITH THE ULTIMATE DRAIN CLEANING BUSINESS PACKAGE!


- 16' 6" incl. hitch
- 12'
- 7'
- 2,950 lbs
- 6,100 lbs












6

CLEANS 2" - 12" LINES



Engineered for the Professional!

Inspects Lines from 2" - 36"

8GB Flash Drive Included!



JetGam DRAIN LINE SEWER CAMERA

WHAT MAKES US BETTER

- Complete Package, Turn Key Ready to Use
- Extended Warranty (2 Years)
- No Up-Selling
- \$490 Bonus Value Product Included
- Comes with 2nd Head to Inspect Smaller Lines

•

ALL PACKAGES INCLUDE

- 200' Cable
- 10" Color LCD Display Monitor
- Remote Control for Monitor
- Built In Digital Recorder
- Built In Microphone
- Movie Format AVI

- ABS Waterproof Case Port
 - 2 Camera Heads Included • Small 7/8" High Resolution
 - 1 1/2" High Resolution / Self-Leveling
- Sapphire Glass Lens Cover
- Camera Vision Angle: 80 Deg
- 18 Bright White LED Lights

INCLUDED WITH THE

ULTIMATE DRAIN

CLEANING BUSINESS PACKAGE!

SALE PRICE

2nd HEAD

- 3", 5", 8" Camera Head Skids
- Rechargeable Li-ion Battery
- 4 Hours Battery Run Time
- 1 Year Limited Mfg. Warranty
 1 Year Limited Extended
 - 1 Year Limited Extended Warranty

SD Locating System

8873SD KIT & ACCESSORIES



8873 RECEIVER 2 active & 1 passive frequency receiver with digital depth measurement

CARRYING CASE Padded cases for receiver

MANUAL & DVD Operations manual and Locator Theory DVD.

BATTERIES Six C-cell batteries and 8 D-cell batteries included for immediate use.

OPTIONAL ACCESSORIES



8872 TRANSMITTER

1 watt transmitter with disposable C-cell batteries capable of direct connection, transmitter induction and coupler induction



INDUCTIVE COUPLER 3" I.D. 3" I.D. 33kHz coupler to apply signal when direct connection is not possible

SONDE Self contained signal transmitter can be used in non-pressurized conduits and pipes to track path and pinpoint blockages.



GROUND CONNECTION EXTENSION KIT 2x30FT Two 30ft cords and ground rods for reaching desired grounding location



A heavily padded protective case for equipment during transport and use

HEADPHONE Mono jack headphone aid when audio cues must compete with background noise

Simple, Inexpensive & ideal for locating camera inspection systems and sondes the 8873SD is an effective solution for sewer inspection and drain cleaning. Available with either 512Hz & 33kHz or 512Hz & 82kHz ensures tracking of any manufacturer's camera or sonde system operating on these common frequencies. Based on RYCOM's long line of locators, the 8873SD offers a simple to operate system with proven technology. Pushbutton depth along with peak signal response allows the user to minimize interference and maintain the locate on the sonde or inspection system.

SPECIFICATIONS

RECEIVER

Operating Frequency: 33kHz or 512Hz Antenna Mode:

Display Indicators: Backlit LCD bar graph, low battery, signa strength, mode and function indicators Audio Indication: Variable pitch response

Current Measurement: Display indicates relative current

Power Source: 6 "C" cell batterie

Battery Life: Continuous: 40 hours intermittent: 82 hours

Signal Strength: LCD bar graph, absolute signal strength 0-999

Gain Control: Manual gain adjustment & automatic centering

Dynamic Range:

Depth Measurement: Push-button to 15' & triangulation method

Operating Temperature: -4° F to +133° F (-20° C to +55° C)

Size: 30.3" x 9.4" (77 cm x 24 cm)

Velgint: 3 lbs (1.3 kg)

WARRANTY

WARRANTY: 12 Month Wairanty from date of delivery against defects in material and workmanship (EXCEPT EATTERIES) on all instruments. This warranty is void if, after having received the instrument in good condition, it is subjected to abuse, unauthorized alteration or casua repair. We will repair or replace products that prove to be defective during warranty period. NO OTHER WARRANTY IS EXPRESSED OR IMPLIED. THE WARRANTY DESCRIBED IN THIS PARAGRAPH SHALL BE IN LIEU OF ANY OTHER WARRANTY, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. WE ARE NOT LIABLE FOR CONSEQUENTIAL DAMAGES. Terms: Net 30 days, Missouri sales tax charged where applicable. Shipping & Delivery: All orders are FOB Raytown, MO. Specifications subject to change without prior notice.




ELECTRIC HAND-HELD JETTER

- 120v/2HP Premium Baldor Motor
- 2 GPM1600 PSI Adjustable Pressure
- Ball Valve On and Off
- HD Frame and Tires
- 100' 1/4" Jetting Hose
- Lazer & Rame Nozzles Included



INCLUDED WITH THE ULTIMATE DRAIN CLEANING BUSINESS PACKAGE!







EQUIPMENT SAFETY & OPERATION AND BUSINESS MARKETING TRAINING

Get your Drain Line Jetting division off on the right foot with equipment safety/operation & business marketing training by HotJet USA. Learn the ins and outs of the business and make money!

Our training covers:

- 1. Knowledge of Jetter and Operation / Safety.
- 2. Evaluate Camera Usage.
- 3. Evaluate how offering additives (3n1 total-C) can sell jetter jobs, increase profits, and create a loyal customer base.
- 4. Create a Marketing Strategy.
- 5. Added services cleaning properties with "power washer" sidewalks, dumpster area,

parking, etc).

6. Consider Implementation / How to offer your services

EVERY PURCHASE of the Ultimate Drain Cleaning Business Package will include the very popuplar training class. We will also provide up to 2 nights lodging, airport ground transportation, meals and complete operator training!



